


*Designed to Provide High Value with Outstanding Reliability*

- All-In-One Touch Terminals
- Touch Screen Monitors
- PC's
- Ruggedized Tablets
- Kiosks
- Peripherals



### All-In-One Systems



#### Acrobat All-In-One Windows

14.1" Widescreen LED LCD Projected Capacitive Screen

CPU Options: • Intel Atom Dual Core D2550 1.86GHz  
• Intel Celeron Quad Core J1900 2.0GHz

OS: Windows 10, Windows 10 Pro, Windows 10 IOT, Windows 7, POS Ready 7, Windows 8.1, Windows 8 Industry Retail

Foldable stand for ergonomic small footprint

5 USB Ports, 4 Serial Ports, 1 Gigabit LAN Port

Spill and Dust Resistant

Options: Wireless LAN a/b/g/n, Encrypted MSR, 2D Barcode Scanner, 2x20 LCM Display, Bluetooth 4.0, Compatible with Universal Printer Base, Available in white (J1900 only)



#### Acrobat All-In-One Android

14.1" Widescreen LED LCD Projected Capacitive Screen

CPU: Arm Cortex A9 Processor 1GHz

OS: Android 5.0 Lollipop

Foldable stand for ergonomic small footprint

4 USB Ports, 4 Serial Ports, 1 Gigabit LAN Port

Spill and Dust Resistant

Options: Wireless LAN a/b/g/n, Encrypted MSR, 2D Barcode Scanner, 2x20 LCM Display, Bluetooth 4.0



#### Saturn All-In-One

Saturn All-In-One with 8.4" or 12.1" True Flat LED LCD

CPU: Intel Celeron Quad Core J1900 2.0GHz

Up to 8GB RAM • Easy Hard Drive Access

4 Serial Ports, 4 USB Ports, 1 Gigabit LAN Port

Options: MSR/Biometrics, Internal Wireless, Universal Mount (Countertop / Wall, other bases available), EMV (8" only)



#### Pulse All-In-One

15" Projected Capacitive LED Screen

CPU: Intel Celeron Quad Core J1900 2.0GHz

Up to 8GB RAM • Easy Hard Drive Access

3 Serial Ports, 5 USB Ports, 1 Gigabit LAN Port

Options: MSR/Biometrics, Internal Wireless, 2x20 VFD Display, 8.4", 12.1" or 15" Rear LCD

### All-In-One Systems



#### Breeze Performance All-In-One

Breeze Performance All-In-One with 15" LED LCD True Flat  
Breeze Performance All-In-One with 17" LED LCD

Elo Resistive or Projected Capacitive Touch Screen

CPU Options: **Sandybridge:** Intel G540 2.5GHz, Pentium G850 2.9GHz, Intel i3-2120 3.3GHz, Intel i5-2400 3.1GHz, Intel i7-2600 3.4GHz,  
**Haswell:** Celeron 2.7GHz, Pentium G3440 3.2GHz, Intel i3-4330 3.5GHz, Intel i5-4570S 2.9GHz, Intel i7-4700S 3.1GHz

4 Serial Ports, 1 Parallel Port, 4 USB Ports, 2 Gigabit LAN Ports, 24V Printer Power Port

Vesa Wall Mountable • Rackable Motherboard

Options: MSR/Biometrics/EMV, Internal Wireless, 2x20 VFD Display, 8.4", 12.1" or 15" Rear LCD, Dual HD w/ RAID, DVI



#### Breeze All-In-One

Breeze All-In-One with 15" LED LCD True Flat

Elo Resistive or Touch Screen

CPU Options: • Atom Dual Core 1.86GHz Fanless • Ivy Bridge Celeron 1.8GHz Fanless • Ivy Bridge i3 1.8GHz Fanless

4 Serial Ports, 1 Parallel Port, 6 USB Ports, 1 Gigabit LAN Port

Vesa Wall Mountable • Rackable Motherboard

Options: MSR/Biometrics/EMV, Internal Wireless, 2x20 VFD Display, 8.4", 12.1" or 15" Rear LCD



#### Breeze 185 All-In-One

Breeze 185 All-In-One with 18.5" Widescreen LED LCD

CPU Options: • Atom Dual Core 1.86GHz Fanless • Ivy Bridge Celeron 1.8GHz Fanless • Ivy Bridge i3 1.8GHz Fanless

Bezel-less Resistive or Projected Capacitive Touch Screen (PCAP)

Vesa Wall Mountable • Rackable Motherboard

4 Serial Ports, 1 Parallel Port, 6 USB Ports, 1 Gigabit LAN Port

Options: MSR/Biometrics/EMV, Internal Wireless, 2x20 VFD Display, 8.4", or 12.1" or 15" Rear LCD, Up to 2 HD's



#### Universal Printer Base

##### Compatible with:

- Acrobat
- Breeze Performance 15" or 17" All-In-One
- Breeze 15" All-In-One
- Breeze 185 Widescreen All-In-One
- Pulse 15" All-In-One
- Saturn 8" or 12" All-In-One
- Breeze Touch
- EC150

Thermal Printer Recessed to Eliminate Possible Spill Damage

Epson T70II or Touch Dynamic T25 Front Feed Thermal Printer

### Touch Screen Monitors



#### EC150 Touch Monitor

15" LCD

Resistive Touch Screen

Serial and USB Touch Interface

Bounce Free Stand

Easy Cable Management

Options: 3 Track USB MSR, 2x20 VFD



#### Breeze Touch Monitor

15" or 17" LCD

Elo Resistive Touch Screen

Serial and USB Touch Interface

External Power Supply, Hidden in Base

Easy Cable Management, Internal Speakers

Options: 3 Track MSR, 2x20 VFD

### Ruggedized Tablets



✓ EMV Level 2 Certified

#### Quest II 7" or 10" Android Tablet

Full Android 4.4.4 Kit Kat Support

4 ft. Drop Specification

Long Battery Life; 8 Hours in Continuous Use

MSR, NFC, Bluetooth, Enhanced 2.4 / 5 GHz Wireless, 5MP Camera

Optional 2D Scanner and/or EMV, Premium Dock, 5 Bay Charger, 3G, and Digital Persona Biometric Reader



✓ EMV Level 2 Certified

#### Quest II 7" or 10" Windows Tablet

Full Windows 8.1 and 10 Support

4 ft. Drop Specification

Long Battery Life; 8 Hours in Continuous Use

MSR, NFC, Bluetooth, Enhanced 2.4 / 5 GHz Wireless, 5MP Camera

Optional 2D Scanner and/or EMV, Premium Dock, 5 Bay Charger, 3G, and Digital Persona Biometric Reader

### Ruggedized Tablets



#### DT-07 Android Tablet

7" Rugged Android Tablet

Capable of Repeated 4 ft. Drops

Always On Wi-Fi / Seamless Roaming Across Access Points

Integrated Remote Access Tool

Optional Built in MSR, Image Scanner & Finger Print Reader

### PC Product Line



#### Saturn DV PC

Intel Celeron Processor J1900 2.0GHz Fanless and Ventless

Up to 8GB Ram

3 Serial Ports, 5 USB Ports, 1 Gigabit LAN

Small Footprint, Wall/Rack Mountable

Low Power Consumption

Options: Wireless, 2nd Gigabit LAN, Audio Out, PS2 Port, 1 Parallel Port and 1 Display Port



#### Orion Performance

Multiple CPU's:

• Celeron G540 2.5GHz • i3-3.3GHz • i5-3.1GHz • i7-3.4GHz

Onboard RAID and HOT Swappable HDD's • AMT 7.0 and vPro

5 Serial Ports, up to 10 USB 2.0 Ports and 4 Powered USB Ports

Dual Gigabit LAN, Display Port

Options: DVI/COM6, Optical Drive, Up to 16GB DDR3, 4 Powered USB Ports, Wireless



#### Cash Drawers

Dual Media Slots with Removable Till

Printer Interface

Cable Included

Four sizes:

- Model 3000 - 16.1" W x 16.3" D x 4.48" H (8 Coin / 5 Bill)
- Model 1616 - 16.2" W x 16.4" D x 4.3" H (8 Coin / 5 Bill)
- Model 2000 - 18.25" W x 18.25" D x 4.3" H (5 Coin / 5 Bill)
- Model 1915 - 18.9" W x 15.2" D x 4.3" H (5 Coin / 5 Bill)

Options: Under Counter Mount • Dual Drawer on 16.1Wx16.3D, 16.2Wx16.4D and 18.9Wx15.2D • Also available in white

### Printers



#### TB4 Thermal Printer

Epson Emulation

250mm/sec Print Speed

Wall Mountable

Drop in Paper Loading

Power Supply Included

Dual Interface Options:

- Parallel/USB Includes Both Cables
- Serial/USB Includes Both Cables



#### TB3 Trio Thermal Printer

Epson Emulation

200mm/sec Print Speed

Wall Mountable

Drop in Paper Loading

Power Supply Included

3-in-1 Interface Includes:

- Serial with Cable
- USB with Cable
- Ethernet



#### PR-650II Thermal Printer

Epson or Star Emulation

300mm/sec Print Speed

Wall Mountable

Drop in Paper Loading

Reliable Guillotine Cutter

Interfaces:

- Serial with Cable
- Parallel with Cable
- USB with Cable
- Ethernet

NEW Bluetooth Model now available for use with Android, iOS and Windows



#### PR-IM Impact Printer

Epson or Star Emulation

Clamshell Design for Easy Paper Loading

Wall Mountable

2-Color, High-quality Graphics Print

Internal Power Supply

Interfaces:

- Serial with Cable
- Ethernet

### Printers



#### TM-P20 Mobilink All-in-One Wireless Receipt Printer

- Epson Brand Printer
- 100mm/sec Print Speed
- Interface: 2.4GHz/5GHz wireless or Bluetooth 3.0
- Compatible with IOS, Android and Windows Mobile Devices
- 0.50 lbs with battery
- 6.5 ft. drop rating; IP54 ready with padded case
- Uses standard 58mm width paper
- For use with Quest 7", 10" and DT 07 Tablet



#### T20 Thermal Printer

- Epson Brand Printer
- 150mm/sec Print Speed
- Wall Mountable
- Drop in paper loading
- Low power consumption, ENERGY STAR qualified
- Interface:
  - Serial with Cable
  - USB with Cable
  - Ethernet



#### TM-U220 Impact Printer

- Epson Brand Printer
- 6.0 Lps Print Speed
- Accommodates paper widths of 58, 70 or 76mm
- Two-color printing for highlighting offers or order exceptions
- Interface:
  - Serial, USB, Ethernet or Ethernet DHCPEnabled/mPOS-friendly
- Compatible with iOS, Android and Windows mobile devices



#### T25 Thermal Printer

- Sewoo Brand Printer
- 200mm/sec Print Speed
- Interface:
  - USB with Cable (B type) plus one more card (Serial with Cable, Parallel, Wi-Fi, Ethernet, Bluetooth(iOS))
- Drop in front loading
- Ideal for Touch Dynamic Universal Printer Base
- Available in both black and white finishes

### Rear Displays

2 x 20 VFD



8" Rear LCD



12" or 15" Rear LCD



Pole Display



*(The 2 x 20 VFD rear display is also available in white)*  
 \*8", 12", 15", LCD Touch Option Available

### Kiosks



#### Kiosk

Supports any Touch Dynamic All-In-One  
 Epson Kiosk Thermal Ticket Printer  
 Code Optical Scanner  
 Dual Direction ID Tech Spectrum MSR  
 Internal Speakers



#### Podium Kiosk

Supports any Touch Dynamic All-In-One mounted on the Universal Printer Base  
 Optional shelves on either side of unit  
 Custom wraps with customer logos available  
 Locking back panel for storage and cable concealment

### Value Added Services

- Imaging on all terminals
- Custom logos available on most terminals
- Customized Marketing Materials
- 4 Locations for convenient shipping, customer drop off and pick up
- On-Site and Next Day Replacement Options
- Technical Support available in Spanish


If you are interested in any of these services, please contact us!



### About Touch Dynamic

Founded in August of 2001, Touch Dynamic is an ISO 9001:2008 certified manufacturer of All-in-One touch terminals, small form factor PC's, mobile POS tablets and touch screen monitors for a variety of industries. We understand the demands on our channel partners and provide unique products and additional value-added services to help them meet the specific needs of their customers.

### Sales Territories



<p><b>Toby Jensen</b> Phone: 503.860.8790 Email: tjensen@touchdynamic.com</p>	<p><b>Joe Egan</b> Phone: 713.299.1999 Email: jegan@touchdynamic.com</p>
<p><b>Stephanie Rahija</b> Phone: 888-508-6824 x117 Email: srahija@touchdynamic.com</p>	<p><b>Dave Graber</b> Phone: 888-508-6824 x103 Email: dgraber@touchdynamic.com</p>
<p><b>Jeff Tutt</b> Phone: 812.455.4948 Email: jtutt@touchdynamic.com</p>	<p><b>Beth Graber Fitzsimmons</b> Phone: 888-508-6824 x119 Email: bethg@touchdynamic.com</p>
<p><b>Fausto Paulino</b> Phone: 888.508.6824 x107 Email: fpaulino@touchdynamic.com</p>	<p><b>Rob Cooper</b> Phone: 888-508-6824 x141 Email: rcooper@touchdynamic.com</p>
<p><b>Corporate Office</b> 17 Camptown Rd Irvington, NJ 07111 Phone: 888-508-6824</p>	

### Touch Dynamic Offices

#### U.S. Headquarters

17 Camptown Road  
Irvington, NJ 07111

#### Florida Office

20904 Sheridan Street  
Pembroke Pines, FL 33332

#### Texas Office

6630 Roxburgh Drive  
Suite 140  
Houston, TX 77041

#### Oregon Office

25599 SW 95th Avenue  
Suite H  
Wilsonville, OR 97070