

SPECIFICATIONS

MOTHERBOARD

\$16 \$16 4DPSF
*OUFM™ &MLIBSU -BLF \$FMFSPO™ + VQ UP (I[
4ZTUFN .FNPSZ (# 3".
(SBQIJDT *OUFM)% (SBQIJDT

LCD DISPLAY

-\$% w
.BYJNVN 3FTPMVUJPO Y
#SJHIUOFTT OJUT
#BDLMJHIU 5FDIOPMPHZ -&%
"TQFDU 3BUJP
5PVDI 5SVF 'MBU 1SPKFDUFE \$BQBDDJUF .VMUJ 5PVDI

STORAGE

4PMJE 4UBUF (%SFJ.W\$F

EXTERNAL I/O PORTS

64# Y 64# UZQF \$ EBUB USBOTGFS POMZ OP DIBSHF
1PXFSE 64# Y 7 Y 7
4FSJBM Y %# QPXFSPQUJPO 7 7
-"/ Y3+ Y .CT
\$BTI %SBXB\$
%\$ +BDL Y QJO -PDLJOH

POWER

1PXFSE "EBQUFS 8 7 5BCMFU DIBSJOH UISPVOH TUBOE
#BUUFSZ 7 N"I

COMMUNICATION

*OUFM 8JSFMFTT B C H BD BY

\$/530-

4FOTPS (4FOTPS

" 6% * 0

.JDSPQIPOF *OUFSSBUFE
4QFBLFST Y 8

OPTIONAL PERIPHERALS

MSR: ID Tech 3-Track MSR
JOHFSQJOU3FBEFS)*(MPCBM3BDJUF3FBEFS5\$5.PEVMF
3*)*(MPCBM3*3FBEFS
3FBSNFSB.FHBDFM

Barcode Reader: Integrated 2D Barcode Reader

CERTIFICATE

EMC & Safety: FCC Class #CE.BSLM/BTT#7%3'

ENVIRONMENT

0QFSBUJOH 4UPSBHF 5FNQF\$BUDSFSHF\$ _ •'
•' _ •' \$IBSHJOH
0QFSBUJOH 4UPSBHF)VNJEJUZ _ 3) OPO DPOEFOTJOH

OS SUPPORT

8JOEPXT *05 8JOEPXT 1SP 8JOEPXT -JOVY *ORVJSF
BCPVU BWJBMBCJMJUJ

KEY FEATURES	
1	w -&% -\$\$ XJUI 1SPKFDUFE \$BQBDDJUF
2	1VTI PG B CVUPO UP SFMFBTF UBCMFU
3	&MFDUSPOJD MPDL IPMET UIF UBCMFU J
4	*% 5FDI .43 BOE PUIFS QFSJQIFSBMT BW
5	#BTF DPOUBJOY NVMUJQMF QPSUT
6	/FYU HFOFSBUJPO UFDIOPMPHZ